

---

# **qPython Documentation**

***Release 1.2.2***

**DEVnet**

March 01, 2017



<b>1 Managing connection</b>	<b>1</b>
1.1 Types conversion configuration . . . . .	1
1.2 Custom IPC protocol serializers/deserializers . . . . .	2
<b>2 Queries</b>	<b>3</b>
2.1 Synchronous queries . . . . .	3
2.2 Asynchronous queries . . . . .	4
2.3 Type conversions configuration . . . . .	4
<b>3 Types conversions</b>	<b>7</b>
3.1 Atoms . . . . .	7
3.2 String and symbols . . . . .	8
3.3 Lists . . . . .	9
3.4 Dictionaries . . . . .	11
3.5 Tables . . . . .	11
3.6 Functions, lambdas and projections . . . . .	12
3.7 Errors . . . . .	12
3.8 Null values . . . . .	12
3.9 Custom type mapping . . . . .	13
<b>4 Pandas integration</b>	<b>15</b>
4.1 Data conversions . . . . .	16
4.2 Type hinting . . . . .	16
<b>5 Usage examples</b>	<b>19</b>
5.1 Synchronous query . . . . .	19
5.2 Asynchronous query . . . . .	20
5.3 Interactive console . . . . .	21
5.4 Twisted integration . . . . .	22
5.5 Subscribing to tick service . . . . .	24
5.6 Data publisher . . . . .	26
5.7 Custom type IPC deserialization . . . . .	27
<b>6 API documentation:</b>	<b>29</b>
6.1 qpython package . . . . .	29
<b>7 Indices and tables</b>	<b>45</b>
<b>Python Module Index</b>	<b>47</b>

---



---

## Managing connection

---

qPython wraps connection to a q process in instances of the `QConnection` class.

```
q = qconnection.QConnection(host = 'localhost', port = 5000, username = 'tu', password = 'secr3t', t...  
try:  
    q.open()  
    # ...  
finally:  
    q.close()
```

---

**Note:** the connection is not established when the connector instance is created. The connection is initialised explicitly by calling the `open()` method.

---

In order to terminate the remote connection, one has to invoke the `close()` method.

The `qconnection.QConnection` class provides a context manager API and can be used with a `with` statement:

```
with qconnection.QConnection(host = 'localhost', port = 5000) as q:  
    print(q)  
    print(q('{`int$ til x}', 10))
```

## Types conversion configuration

Connection can be preconfigured to parse IPC messages according to a specified settings, e.g.: temporal vectors can be represented as raw vectors or converted to numpy `datetime64/timedelta64` representation.

```
# temporal values parsed to QTemporal and QTemporalList classes  
q = qconnection.QConnection(host = 'localhost', port = 5000, numpy_temporals = False)  
  
# temporal values parsed to numpy datetime64/timedelta64 arrays and atoms  
q = qconnection.QConnection(host = 'localhost', port = 5000, numpy_temporals = True)
```

Conversion options can be also overwritten while executing synchronous/asynchronous queries (`sync()`, `async()`) or retrieving data from q (`receive()`).

## Custom IPC protocol serializers/deserializers

Default IPC serializers (`QWriter` and `_pandas.PandasQWriter`) and deserializers (`QReader` and `_pandas.PandasQReader`) can be replaced with custom implementations. This allow users to override the default mapping between the q types and Python representation.

```
q = qconnection.QConnection(host = 'localhost', port = 5000, writer_class = MyQWriter, reader_class = MyQReader)
```

Refer to [Custom type mapping](#) for details.

---

## Queries

---

The *qPython* library supports both synchronous and asynchronous queries.

Synchronous query waits for service response and blocks requesting process until it receives the response. Asynchronous query does not block the requesting process and returns immediately without any result. The actual query result can be obtained either by issuing a corresponding request later on, or by setting up a listener to await and react accordingly to received data.

The *qPython* library provides following API methods in the *QConnection* class to interact with q:

- *sync ()* - executes a synchronous query against the remote q service,
- *async ()* - executes an asynchronous query against the remote q service,
- *query ()* - executes a query against the remote q service.

These methods have following parameters:

- *query* is the definition of the query to be executed,
- *parameters* is a list of additional parameters used when executing given query.

In typical use case, *query* is the name of the function to call and *parameters* are its parameters. When parameters list is empty the query can be an arbitrary q expression (e.g. 0 +/ til 100).

## Synchronous queries

Executes a q expression:

```
>>> print(q.sync('til 10'))
[0 1 2 3 4 5 6 7 8 9]
```

Executes an anonymous q function with a single parameter:

```
>>> print(q.sync('{til x}', 10))
[0 1 2 3 4 5 6 7 8 9]
```

Executes an anonymous q function with two parameters:

```
>>> print(q.sync('{y + til x}', 10, 1))
[ 1  2  3  4  5  6  7  8  9 10]
>>> print(q.sync('{y + til x}', *[10, 1]))
[ 1  2  3  4  5  6  7  8  9 10]
```

The `QConnection` class implements the `__call__()` method. This allows `QConnection` instance to be called as a function:

```
>>> print(q('{y + til x}', 10, 1))
[ 1  2  3  4  5  6  7  8  9 10]
```

## Asynchronous queries

Calls a anonymous function with a single parameter:

```
>>> q.async('{til x}', 10)
```

Executes a q expression:

```
>>> q.async('til 10')
```

---

**Note:** The asynchronous query doesn't fetch the result. Query result has to be retrieved explicitly.

---

In order to retrieve query result (for the `async()` or `query()` methods), one has to call:

- `receive()` method, which reads next message from the remote q service.

For example:

- Retrieves query result along with meta-information:

```
>>> q.query(qconnection.MessageType.SYNC, '{x}', 10)
>>> print(q.receive(data_only = False, raw = False))
QMessage: message type: 2, data size: 13, is_compressed: False, data: 10
```

- Retrieves parsed query result:

```
>>> q.query(qconnection.MessageType.SYNC, '{x}', 10)
>>> print(q.receive(data_only = True, raw = False))
10
```

```
>>> q.sync('asynchMult:{[a;b] res:a*b; (neg .z.w) (res) }')
>>> q.async('asynchMult', 2, 3)
>>> print(q.receive())
6
```

- Retrieves not-parsed (raw) query result:

```
>>> from binascii import hexlify
>>> q.query(qconnection.MessageType.SYNC, '{x}', 10)
>>> print(hexlify(q.receive(data_only = True, raw = True)))
fa0a000000
```

## Type conversions configuration

Type conversion options can be overwritten while:

- executing synchronous query: `sync()`
- executing asynchronous query: `async()`

- retrieving data from q: `receive()`

These methods accepts the *options* keywords arguments:

```
>>> query = "[x] 0Nd, `date$til x"`

>>> # retrieve function call as raw byte buffer
>>> from binascii import hexlify
>>> print(binascii.hexlify(q(query, 5, raw = True)))
0e00060000000000000000800000000000010000000020000000300000004000000

>>> # perform a synchronous call and parse dates vector to numpy array
>>> print(q.sync(query, 5, numpy_temporals = True))
['NaT' '2000-01-01' '2000-01-02' '2000-01-03' '2000-01-04' '2000-01-05']

>>> # perform a synchronous call
>>> q.query(qconnection.MessageType.SYNC, query, 3)
>>> # retrieve query result and represent dates vector as raw data wrapped in QTemporalList
>>> print(q.receive(numpy_temporals = False))
[NaT [metadata(qtype=-14)] 2000-01-01 [metadata(qtype=-14)]
 2000-01-02 [metadata(qtype=-14)] 2000-01-03 [metadata(qtype=-14)]]]

>>> # serialize single element strings as q characters
>>> print(q.sync('{[x] type each x}', ['one', 'two', '3'], single_char_strings = False))
[ 10,  10, -10]

>>> # serialize single element strings as q strings
>>> print(q.sync('{[x] type each x}', ['one', 'two', '3'], single_char_strings = True))
[10, 10, 10]
```



---

## Types conversions

---

Data types supported by q and Python are incompatible and thus require additional translation. This page describes default rules used for converting data types between q and Python.

**The translation mechanism used in qPython library is designed to:**

- deserialized message from kdb+ can be serialized and send back to kdb+ without additional processing,
- end user can enforce type hinting for translation,
- efficient storage for tables and lists is backed with numpy arrays.

Default type mapping can be overridden by using custom IPC serializers or deserializers implementations.

## Atoms

While parsing IPC message atom q types are translated to Python types according to this table:

q type	q num type	Python type
bool	-1	numpy.bool_
guid	-2	UUID
byte	-4	numpy.byte
short	-5	numpy.int16
integer	-6	numpy.int32
long	-7	numpy.int64
real	-8	numpy.float32
float	-9	numpy.float64
character	-10	single element str
timestamp	-12	QTemporal numpy.datetime64 ns
month	-13	QTemporal numpy.datetime64 M
date	-14	QTemporal numpy.datetime64 D
datetime	-15	QTemporal numpy.datetime64 ms
timespan	-16	QTemporal numpy.timedelta64 ns
minute	-17	QTemporal numpy.timedelta64 m
second	-18	QTemporal numpy.timedelta64 s
time	-19	QTemporal numpy.timedelta64 ms

**Note:** By default, temporal types in Python are represented as instances of `qtemporal.QTemporal` wrapping over `numpy.datetime64` or `numpy.timedelta64` with specified resolution. This setting can be modified (`numpy_temporals = True`) and temporal types can be represented without wrapping.

During the serialization to IPC protocol, Python types are mapped to q as described in the table:

Python type	q type	q num type
bool	bool	-1
—	byte	-4
—	short	-5
int	int	-6
long	long	-7
—	real	-8
double	float	-9
numpy.bool	bool	-1
numpy.byte	byte	-4
numpy.int16	short	-5
numpy.int32	int	-6
numpy.int64	long	-7
numpy.float32	real	-8
numpy.float64	float	-9
single element str	character	-10
QTemporal numpy.datetime64 ns	timestamp	-12
QTemporal numpy.datetime64 M	month	-13
QTemporal numpy.datetime64 D	date	-14
QTemporal numpy.datetime64 ms	datetime	-15
QTemporal numpy.timedelta64 ns	timespan	-16
QTemporal numpy.timedelta64 m	minute	-17
QTemporal numpy.timedelta64 s	second	-18
QTemporal numpy.timedelta64 ms	time	-19

---

**Note:** By default, single element strings are serialized as q characters. This setting can be modified (*single\_char\_strings = True*) and single element strings are represented as q strings.

---

## String and symbols

In order to distinguish symbols and strings on the Python side, following rules apply:

- q symbols are represented as `numpy.string_` type,
- q strings are mapped to plain Python strings in Python 2 and `bytes` in Python 3.

```
# Python 2
# `quickbrownfoxjumpsoveralazydog
<type 'numpy.string_'>
numpy.string_('quickbrownfoxjumpsoveralazydog')

# "quick brown fox jumps over a lazy dog"
<type 'str'>
'quick brown fox jumps over a lazy dog'

# Python 3
# `quickbrownfoxjumpsoveralazydog
<class 'numpy.bytes_'>
b'quickbrownfoxjumpsoveralazydog'

# "quick brown fox jumps over a lazy dog"
```

```
<class 'bytes'>
b'quick brown fox jumps over a lazy dog'
```

**Note:** By default, single element strings are serialized as q characters. This setting can be modified (*single\_char\_strings = True*) and single element strings are represented as q strings.

```
>>> # serialize single element strings as q characters
>>> print(q.sync('{[x] type each x}', ['one', 'two', '3'], single_char_strings = False))
[ 10, 10, -10]

>>> # serialize single element strings as q strings
>>> print(q.sync('{[x] type each x}', ['one', 'two', '3'], single_char_strings = True))
[10, 10, 10]
```

## Lists

qPython represents deserialized q lists as instances of *qcollection.QList* are mapped to *numpy* arrays.

```
# (0x01;0x02;0xff)
qlist(numpy.array([0x01, 0x02, 0xff], dtype=numpy.byte))

# <class 'qpython.qcollection.QList'>
# numpy.dtype: int8
# meta.qtype: -4
# str: [ 1 2 -1]
```

Generic lists are represented as a plain Python lists.

```
# (1;`bcd;"0bc";5.5e)
[numpy.int64(1), numpy.string_('bcd'), '0bc', numpy.float32(5.5)]
```

While serializing Python data to q following heuristic is applied:

- instances of *qcollection.QList* and *qcollection.QTemporalList* are serialized according to type indicator (*meta.qtype*):

```
qlist([1, 2, 3], qtype = QSHORT_LIST)
# (1h;2h;3h)

qlist([366, 121, qnull(QDATE)], qtype=QDATE_LIST)
# '2001.01.01 2000.05.01 0Nd'

qlist(numpy.array([uuid.UUID('8c680a01-5a49-5aab-5a65-d4bfddb6a661'), qnull(QGUID)]), qtype=QGUID)
# ("G"$"8c680a01-5a49-5aab-5a65-d4bfddb6a661"; 0Ng)
```

- *numpy* arrays are serialized according to type of their *dtype* value:

```
numpy.array([1, 2, 3], dtype=numpy.int32)
# (1i;2i;3i)
```

- if *numpy* array *dtype* is not recognized by qPython, result q type is determined by type of the first element in the array,
- Python lists and tuples are represented as q generic lists:

```
[numpy.int64(42), None, numpy.string_('foo')]
(numpy.int64(42), None, numpy.string_('foo'))
# (42;;;;`foo)
```

---

**Note:** *numpy* arrays with `dtype==|S1` are represented as atom character.

---

qPython provides an utility function `qcollection.qlist()` which simplifies creation of `qcollection.QList` and `qcollection.QTemporalList` instances.

The `qtype` module defines `QSTRING_LIST` const which simplifies creation of string lists:

```
qlist(numpy.array(['quick', 'brown', 'fox', 'jumps', 'over', 'a lazy', 'dog']), qtype = QSTRING_LIST)
qlist(['quick', 'brown', 'fox', 'jumps', 'over', 'a lazy', 'dog'], qtype = QSTRING_LIST)
['quick', 'brown', 'fox', 'jumps', 'over', 'a lazy', 'dog']
# ("quick"; "brown"; "fox"; "jumps"; "over"; "a lazy"; "dog")
```

---

**Note:** `QSTRING_LIST` type indicator indicates that list/array has to be mapped to q generic list.

---

## Temporal lists

By default, lists of temporal values are represented as instances of `qcollection.QTemporalList` class. This class wraps the raw q representation of temporal data (i.e. longs for timestamps, ints for months etc.) and provides accessors which allow to convert raw data to `qcollection.QTemporal` instances in a lazy fashion.

```
>>> v = q.sync("2001.01.01 2000.05.01 0Nd", numpy_temporals = False)
>>> print('%s dtype: %s qtype: %d: %s' % (type(v), v.dtype, v.meta.qtype, v))
<class 'qpython.qcollection.QTemporalList'> dtype: int32 qtype: -14: [2001-01-01 [metadata(qtype=-14)
NaT [metadata(qtype=-14)]]]

>>> v = q.sync("2000.01.04D05:36:57.600 0Np", numpy_temporals = False)
>>> print('%s dtype: %s qtype: %d: %s' % (type(v), v.dtype, v.meta.qtype, v))
<class 'qpython.qcollection.QTemporalList'> dtype: int64 qtype: -12: [2000-01-04T05:36:57.600000000+0000
NaT [metadata(qtype=-12)]]
```

The IPC parser (`greader.QReader`) can be instructed to represent the temporal vectors via `numpy.datetime64` or `numpy.timedelta64` arrays wrapped in `qcollection.QList` instances. The parsing option can be set either via `QConnection` constructor or as parameter to functions: (`sync()`) or (`receive()`).

```
>>> v = q.sync("2001.01.01 2000.05.01 0Nd", numpy_temporals = True)
>>> print('%s dtype: %s qtype: %d: %s' % (type(v), v.dtype, v.meta.qtype, v))
<class 'qpython.qcollection.QList'> dtype: datetime64[D] qtype: -14: ['2001-01-01' '2000-05-01' 'NaT']

>>> v = q.sync("2000.01.04D05:36:57.600 0Np", numpy_temporals = True)
>>> print('%s dtype: %s qtype: %d: %s' % (type(v), v.dtype, v.meta.qtype, v))
<class 'qpython.qcollection.QList'> dtype: datetime64[ns] qtype: -12: ['2000-01-04T05:36:57.600000000+0000']
```

In this parsing mode, temporal null values are converted to `numpy.NaT`.

The serialization mechanism (`gwriter.QWriter`) accepts both representations and doesn't require additional configuration.

There are two utility functions for conversions between both representations:

- The `qtemporal.array_to_raw_qtemporal()` function simplifies adjusting of `numpy.datetime64` or `numpy.timedelta64` arrays to q representation as raw integer vectors.

- The `qtemporal.array_from_raw_qtemporal()` converts raw temporal array to `numpy.datetime64` or `numpy.timedelta64` array.

## Dictionaries

qPython represents q dictionaries with custom `qcollection.QDictionary` class.

Examples:

```
QDictionary(qlist(numpy.array([1, 2], dtype=numpy.int64), qtype=QLONG_LIST),
            qlist(numpy.array(['abc', 'cdefgh']), qtype = QSYMBOL_LIST))
# q: 1 2!`abc`cdefgh

QDictionary([numpy.int64(1), numpy.int16(2), numpy.float64(3.234), '4'],
            [numpy.string_('one'), qlist(numpy.array([2, 3]), qtype=QLONG_LIST), '456',
             # q: (1;2h;3.234;"4")!(`one;2 3;"456";(7;8 9))
```

The `qcollection.QDictionary` class implements Python collection API.

## Tables

The q tables are translated into custom `qcollection.QTable` class.

qPython provides an utility function `qcollection.qtable()` which simplifies creation of tables. This function also allow user to override default type conversions for each column and provide explicit q type hinting per column.

Examples:

```
qtable(qlist(numpy.array(['name', 'iq']), qtype = QSYMBOL_LIST),
       [qlist(numpy.array(['Dent', 'Beeblebrox', 'Prefect'])),
        qlist(numpy.array([98, 42, 126], dtype=numpy.int64))])

qtable(qlist(numpy.array(['name', 'iq']), qtype = QSYMBOL_LIST),
       [qlist(['Dent', 'Beeblebrox', 'Prefect'], qtype = QSYMBOL_LIST),
        qlist([98, 42, 126], qtype = QLONG_LIST)])

qtable(['name', 'iq'],
       [['Dent', 'Beeblebrox', 'Prefect'],
        [98, 42, 126]],
       name = QSYMBOL, iq = QLONG)

# flip `name`iq!(`Dent`Beeblebrox`Prefect;98 42 126)

qtable(('name', 'iq', 'fullname'),
       [qlist(numpy.array(['Dent', 'Beeblebrox', 'Prefect']), qtype = QSYMBOL_LIST),
        qlist(numpy.array([98, 42, 126]), qtype = QLONG_LIST),
        qlist(numpy.array(["Arthur Dent", "Zaphod Beeblebrox", "Ford Prefect"]), qtype = QSTRING_LIST)])

# flip `name`iq`fullname!(`Dent`Beeblebrox`Prefect;98 42 126;("Arthur Dent"; "Zaphod Beeblebrox"; "Fo
```

The keyed tables are represented by `qcollection.QKeyedTable` instances, where both keys and values are stored as a separate `qcollection.QTable` instances.

For example:

```
# ([eid:1001 1002 1003] pos:`d1`d2`d3;dates:(2001.01.01;2000.05.01;0Nd))
QKeyedTable(qtable(['eid'],
    [qlist(numpy.array([1001, 1002, 1003])), qtype = QLONG_LIST])),
    qtable(['pos', 'dates'],
        [qlist(numpy.array(['d1', 'd2', 'd3']), qtype = QSYMBOL_LIST),
        qlist(numpy.array([366, 121, qnull(QDATE)]), qtype = QDATE_LIST)]))
```

## Functions, lambdas and projections

IPC protocol type codes 100+ are used to represent functions, lambdas and projections. These types are represented as instances of base class `qtype.QFunction` or descendent classes:

- `qtype.QLambda` - represents q lambda expression, note the expression is required to be either:
  - q expression enclosed in {}, e.g.: {x + y}
  - k expression, e.g.: k) {x + y}
- `qtype.QProjection` - represents function projection with parameters:

```
# { x + y}[3]
QProjection([QLambda('{x+y}'), numpy.int64(3)])
```

---

**Note:** Only `qtype.QLambda` and `qtype.QProjection` are serializable. qPython doesn't provide means to serialize other function types.

---

## Errors

The q errors are represented as instances of `qtype.QException` class.

## Null values

Please note that q null values are defined as:

```
_QNULL1 = numpy.int8(-2**7)
_QNULL2 = numpy.int16(-2**15)
_QNULL4 = numpy.int32(-2**31)
_QNULL8 = numpy.int64(-2**63)
_QNAN32 = numpy.fromstring('\x00\x00\xc0\x7f', dtype=numpy.float32)[0]
_QNAN64 = numpy.fromstring('\x00\x00\x00\x00\x00\x00\xf8\x7f', dtype=numpy.float64)[0]
_QNULL_BOOL = numpy.bool_(False)
_QNULL_SYM = numpy.string_('')
_QNULL_GUID = uuid.UUID('00000000-0000-0000-0000-000000000000')
```

Complete null mapping between q and Python is represented in the table:

q type	q null value	Python representation
bool	0b	_QNULL_BOOL
guid	0Ng	_QNULL_GUID
byte	0x00	_QNULL1
short	0Nh	_QNULL2
int	0N	_QNULL4
long	0Nj	_QNULL8
real	0Ne	_QNaN32
float	0n	_QNaN64
string	" "	' '
symbol	'	_QNULL_SYM
timestamp	0Np	_QNULL8
month	0Nm	_QNULL4
date	0Nd	_QNULL4
datetime	0Nz	_QNaN64
timespan	0Nn	_QNULL8
minute	0Nu	_QNULL4
second	0Nv	_QNULL4
time	0Nt	_QNULL4

The qtype provides two utility functions to work with null values:

- `qnull()` - retrieves null type for specified q type code,
- `is_null()` - checks whether value is considered a null for specified q type code.

## Custom type mapping

Default type mapping can be overwritten by providing custom implementations of `QWriter` and/or `QReader` and proper initialization of the connection as described in [Custom IPC protocol serializers/deserializers](#).

`QWriter` and `QReader` use parse time decorator (Mapper) which generates mapping between q and Python types. This mapping is stored in a static variable: `QReader._reader_map` and `QWriter._writer_map`. In case mapping is not found in the mapping:

- `QWriter` tries to find a matching qtype in the `~qtype.Q_TYPE` dictionary and serialize data as q atom,
- `QReader` tries to parse lists and atoms based on the type indicator in IPC stream.

While subclassing these classes, user can create copy of the mapping in the parent class and use parse time decorator:

```
class PandasQWriter(QWriter):
    _writer_map = dict.copy(QWriter._writer_map)           # create copy of default serializer map
    serialize = Mapper(_writer_map)                      # upsert custom mapping

    @serialize(pandas.Series)
    def _write_pandas_series(self, data, qtype = None):
        # serialize pandas.Series into IPC stream
        # ..omitted for readability..
        self._write_list(data, qtype = qtype)

class PandasQReader(QReader):
    _reader_map = dict.copy(QReader._reader_map)           # create copy of default deserializer map
    parse = Mapper(_reader_map)                          # overwrite default mapping

    @parse(QTABLE)
```

```
def _read_table(self, qtype = QTABLE):
    # parse q table as pandas.DataFrame
    # ..omitted for readability..
    return pandas.DataFrame(data)
```

Refer to [Custom type IPC deserialization](#) for complete example.

---

## Pandas integration

---

The *qPython* allows user to use `pandas.DataFrame` and `pandas.Series` instead of `numpy.recarray` and `numpy.ndarray` to represent q tables and vectors.

In order to instrument *qPython* to use `pandas` data types user has to set `pandas` flag while:

- creating `qconnection.QConnection` instance,
- executing synchronous query: `sync()`,
- or retrieving data from q: `receive()`.

For example:

```
>>> with qconnection.QConnection(host = 'localhost', port = 5000, pandas = True) as q:
>>>     ds = q('1i;0Ni;3i)', pandas = True)
>>>     print(ds)
0      1
1    NaN
2      3
dtype: float64
>>>     print(ds.meta)
metadata(qtype=6)

>>>     df = q('flip `name`iq`fullname!(`Dent`Beeblebrox`Prefect;98 42 126;("Arthur Dent"; "Zaphod Beeblebrox"; "Ford Prefect"))
>>>     print(df)
      name      iq      fullname
0      Dent      98      Arthur Dent
1  Beeblebrox     42  Zaphod Beeblebrox
2    Prefect     126      Ford Prefect
>>>     print(df.meta)
metadata(iq=7, fullname=0, qtype=98, name=11)
>>>     print(q('type', df))
98

>>>     df = q('([eid:1001 ON 1003;sym:`foo`bar`] pos:`d1`d2`d3;dates:(2001.01.01;2000.05.01;0Nd))')
>>>     print(df)
      pos      dates
eid  sym
1001  foo    d1  2001-01-01
NaN   bar    d2  2000-05-01
1003    d3      NaT
>>>     print(df.meta)
metadata(dates=14, qtype=99, eid=7, sym=11, pos=11)
>>>     print(q('type', df))
99
```

---

## Data conversions

If pandas flag is set, *qPython* converts the data according to following rules:

- q vectors are represented as pandas.Series:
  - pandas.Series is initialized with numpy.ndarray being result of parsing with numpy\_temporals flag set to True (to ensure that temporal vectors are represented as numpy.datetime64/timedelta64 arrays).
  - q nulls are replaced with numpy.NaN. This can result in type promotion as described in [pandas documentation](#).
  - pandas.Series is enriched with custom attribute meta (qpython.MetaData), which contains *qtype* of the vector. Note that this information is used while serializing pandas.Series instance to IPC protocol.
- tables are represented as pandas.DataFrame instances:
  - individual columns are represented as pandas.Series.
  - pandas.DataFrame is enriched with custom attribute meta (qpython.MetaData), which lists *qtype* for each column in table. Note that this information is used during pandas.DataFrame serialization.
- keyed tables are backed as pandas.DataFrame instances as well:
  - index for pandas.DataFrame is created from key columns.
  - pandas.DataFrame is enriched with custom attribute meta (qpython.MetaData), which lists *qtype* for each column in table, including index ones. Note that this information is used during pandas.DataFrame serialization.

## Type hinting

*qPython* applies following heuristic to determinate conversion between pandas and q types:

- pandas.DataFrame are serialized to q tables,
- pandas.Series are serialized to q lists according to these rules:
  - type of q list is determinate based on series *dtype*,
  - if mapping based on *dtype* is ambiguous (e.g. *dtype* is *object*), q type is determined by type of the first element in the array.

User can overwrite the default type mapping, by setting the `meta` attribute and provide additional information for the serializer.

## Lists conversions

By default, series of `datetime64` is mapped to q timestamp:

```
pandas.Series(numpy.array([numpy.datetime64('2000-01-04T05:36:57.600Z', 'ms'), numpy.datetime64('nat  
# 2000.01.04D05:36:57.600000000 ON (type 12h)
```

`meta` attribute, can be used to change this and convert the series to, for example, q date list:

```

l = pandas.Series(numpy.array([numpy.datetime64('2000-01-04T05:36:57.600Z', 'ms'), numpy.datetime64(
l.meta = MetaData(qtype = QDATE_LIST)
# 2000.01.04 ON (type 14h)

```

Similarly, the series of float64 is mapped to q float (double precision) vector:

```

l = pandas.Series([1, numpy.nan, 3])
# 1 On 3 (type 9h)

```

This can be overwritten to convert the list to integer vector:

```

l = pandas.Series([1, numpy.nan, 3])
l.meta = MetaData(qtype = QINT_LIST)
# 1 ON 3i (type 6h)

```

## Table columns

Type hinting mechanism is useful for specifying the conversion rules for columns in the table. This can be used either to enforce the type conversions or provide information for ambiguous mappings.

```

t = pandas.DataFrame(OrderedDict([('pos', pandas.Series(['A', 'B', 'C'])),
                                 ('dates', pandas.Series(numpy.array([numpy.datetime64('2001-01-01')])))

# pos dates
# -----
# A    2001.01.01D00:00:00.0000000000
# B    2000.05.01D00:00:00.0000000000
# C
#
# meta:
# c    / t f a
# ---- / ----
# pos  / c
# dates/ p

t = pandas.DataFrame(OrderedDict([('pos', pandas.Series(['A', 'B', 'C'])),
                                 ('dates', pandas.Series(numpy.array([numpy.datetime64('2001-01-01')])))]

t.meta = MetaData(pos = QSYMBOL_LIST, dates = QDATE_LIST)

# pos dates
# -----
# A    2001.01.01
# B    2000.05.01
# C
#
# meta:
# c    / t f a
# ---- / ----
# pos  / s
# dates/ d

```

## Keyed tables

By default, pandas.DataFrame is represented as a q table. During the serialization index information is discarded:

```
t = pandas.DataFrame(OrderedDict([('eid', pandas.Series(numpy.array([1001, 1002, 1003])),  
                                    ('pos', pandas.Series(numpy.array(['d1', 'd2', 'd3']))),  
                                    ('dates', pandas.Series(numpy.array([numpy.datetime64('2001-01-01')])))  
t.reset_index(drop = True)  
t.set_index(['eid'], inplace = True)  
t.meta = MetaData(pos = QSYMBOL_LIST, dates = QDATE_LIST)  
  
# pos dates  
# -----  
# d1 2001.01.01  
# d2 2000.05.01  
# d3  
#  
# meta:  
# c / t f a  
# ---- / ----  
# pos / s  
# dates / d
```

In order to preserve the index data and represent `pandas.DataFrame` as a q keyed table, use type hinting mechanism to enforce the serialization rules:

```
t = pandas.DataFrame(OrderedDict([('eid', pandas.Series(numpy.array([1001, 1002, 1003])),  
                                    ('pos', pandas.Series(numpy.array(['d1', 'd2', 'd3']))),  
                                    ('dates', pandas.Series(numpy.array([numpy.datetime64('2001-01-01')])))  
t.reset_index(drop = True)  
t.set_index(['eid'], inplace = True)  
t.meta = MetaData(pos = QSYMBOL_LIST, dates = QDATE_LIST, qtype = QKEYED_TABLE)  
  
# eid / pos dates  
# ---- / -----  
# 1001/ d1 2001.01.01  
# 1002/ d2 2000.05.01  
# 1003/ d3  
#  
# meta:  
# c / t f a  
# ---- / ----  
# eid / j  
# pos / s  
# dates / d
```

---

## Usage examples

---

### Synchronous query

Following example presents how to execute simple, synchronous query against a remote q process:

```
from qpython import qconnection

if __name__ == '__main__':
    # create connection object
    q = qconnection.QConnection(host='localhost', port=5000)
    # initialize connection
    q.open()

    print(q)
    print('IPC version: %s. Is connected: %s' % (q.protocol_version, q.is_connected()))

    # simple query execution via: QConnection.__call__
    data = q('{`int$ til x}', 10)
    print('type: %s, numpy.dtype: %s, meta.qtype: %s, data: %s' % (type(data), data.dtype, data.meta.qtype, data))

    # simple query execution via: QConnection.sync
    data = q.sync('{`long$ til x}', 10)
    print('type: %s, numpy.dtype: %s, meta.qtype: %s, data: %s' % (type(data), data.dtype, data.meta.qtype, data))

    # low-level query and read
    q.query(qconnection.MessageType.SYNC, '{`short$ til x}', 10) # sends a SYNC query
    msg = q.receive(data_only=False, raw=False) # retrieve entire message
    print('type: %s, message type: %s, data size: %s, is_compressed: %s' % (type(msg), msg.type, msg.size, msg.is_compressed))
    data = msg.data
    print('type: %s, numpy.dtype: %s, meta.qtype: %s, data: %s' % (type(data), data.dtype, data.meta.qtype, data))
    # close connection
    q.close()
```

This code prints to the console:

```
:localhost:5000
IPC version: 3. Is connected: True
type: <class 'qpython.qcollection.QList'>, numpy.dtype: int32, meta.qtype: 6, data: [0 1 2 3 4 5 6 7]
type: <class 'qpython.qcollection.QList'>, numpy.dtype: int64, meta.qtype: 7, data: [0 1 2 3 4 5 6 7]
type: <class 'qpython.qreader.QMessage'>, message type: 2, data size: 34, is_compressed: False
type: <class 'qpython.qcollection.QList'>, numpy.dtype: int16, meta.qtype: 5, data: [0 1 2 3 4 5 6 7]
```

## Asynchronous query

Following example presents how to execute simple, asynchronous query against a remote q process:

```
import random
import threading
import time

from qpython import qconnection
from qpython.qtype import QException
from qpython.qconnection import MessageType
from qpython.qcollection import QDictionary


class ListenerThread(threading.Thread):

    def __init__(self, q):
        super(ListenerThread, self).__init__()
        self.q = q
        self._stopper = threading.Event()

    def stop(self):
        self._stopper.set()

    def stopped(self):
        return self._stopper.isSet()

    def run(self):
        while not self.stopped():
            print('.')
            try:
                message = self.q.receive(data_only = False, raw = False) # retrieve entire message

                if message.type != MessageType.ASYNC:
                    print('Unexpected message, expected message of type: ASYNC')

                print('type: %s, message type: %s, data size: %s, is_compressed: %s' % (type(message),
                                                                                         message.type,
                                                                                         len(message.data),
                                                                                         message.is_compressed))

                if isinstance(message.data, QDictionary):
                    # stop after 10th query
                    if message.data[b'queryid'] == 9:
                        self.stop()

            except QException as e:
                print(e)

if __name__ == '__main__':
    # create connection object
    q = qconnection.QConnection(host = 'localhost', port = 5000)
    # initialize connection
    q.open()

    print(q)
    print('IPC version: %s. Is connected: %s' % (q.protocol_version, q.is_connected()))

    try:
```

```

# definition of asynchronous multiply function
# queryid - unique identifier of function call - used to identify
# the result
# a, b - parameters to the query
q.sync('asynchMult:{[queryid;a;b] res:a*b; (neg .z.w) (`queryid`result! (queryid;res)) }');

t = ListenerThread(q)
t.start()

for x in range(10):
    a = random.randint(1, 100)
    b = random.randint(1, 100)
    print('Asynchronous call with queryid=%s with arguments: %s, %s' % (x, a, b))
    q.async('asynchMult', x, a, b);

    time.sleep(1)
finally:
    q.close()

```

## Interactive console

This example depicts how to create a simple interactive console for communication with a q process:

```

import qpython
from qpython import qconnection
from qpython.qtype import QEException

try:
    input = raw_input
except NameError:
    pass

if __name__ == '__main__':
    print('qPython %s Cython extensions enabled: %s' % (qpython.__version__, qpython._is_cython_enabled))
    with qconnection.QConnection(host = 'localhost', port = 5000) as q:
        print(q)
        print('IPC version: %s. Is connected: %s' % (q.protocol_version, q.is_connected()))

    while True:
        try:
            x = input('Q) ')
        except EOFError:
            print('')
            break

        if x == '\\\\\\':
            break

        try:
            result = q(x)
            print(type(result))
            print(result)
        except QEException as msg:
            print('q error: \'%s\' % msg)

```

## Twisted integration

This example presents how the *qPython* can be used along with [Twisted](#) to build asynchronous client:

---

**Note:** This sample code overwrites `.u.sub` and `.z.ts` functions on q process.

---

```
import struct
import sys

from twisted.internet.protocol import Protocol, ClientFactory

from twisted.internet import reactor
from qpython.qconnection import MessageType, QAuthenticationException
from qpython.qreader import QReader
from qpython.qwriter import QWriter, QWriterException


class IPCProtocol(Protocol):

    class State(object):
        UNKNOWN = -1
        HANDSHAKE = 0
        CONNECTED = 1

    def connectionMade(self):
        self.state = IPCProtocol.State.UNKNOWN
        self.credentials = self.factory.username + ':' + self.factory.password if self.factory.password else ''
        self.transport.write(self.credentials + '\3\0')

        self._message = None

    def dataReceived(self, data):
        if self.state == IPCProtocol.State.CONNECTED:
            try:
                if not self._message:
                    self._message = self._reader.read_header(source=data)
                    self._buffer = ''

                self._buffer += data
                buffer_len = len(self._buffer) if self._buffer else 0

                while self._message and self._message.size <= buffer_len:
                    complete_message = self._buffer[:self._message.size]

                    if buffer_len > self._message.size:
                        self._buffer = self._buffer[self._message.size:]
                        buffer_len = len(self._buffer) if self._buffer else 0
                        self._message = self._reader.read_header(source=self._buffer)
                    else:
                        self._message = None
                        self._buffer = ''
                        buffer_len = 0

                self.factory.onMessage(self._reader.read(source=complete_message, numpy_temporal=True))

            except Exception as e:
                self._logger.error("Error reading message: %s", str(e))
                self.transport.close()

        else:
            self._logger.info("Connection established, state: %s", self.state)

    def connectionLost(self, reason):
        self._logger.info("Connection lost: %s", reason)
        self.transport.close()

    def errorReceived(self, type, value, traceback):
        self._logger.error("Error received: %s", str(value))
```

```

        except:
            self.factory.onError(sys.exc_info())
            self._message = None
            self._buffer = ''

    elif self.state == IPCProtocol.State.UNKNOWN:
        # handshake
        if len(data) == 1:
            self._init(data)
        else:
            self.state = IPCProtocol.State.HANDSHAKE
            self.transport.write(self.credentials + '\0')

    else:
        # protocol version fallback
        if len(data) == 1:
            self._init(data)
        else:
            raise QAuthenticationException('Connection denied.')

def __init__(self, data):
    self.state = IPCProtocol.State.CONNECTED
    self.protocol_version = min(struct.unpack('B', data)[0], 3)
    self._writer = QWriter(stream=None, protocol_version=self.protocol_version)
    self._reader = QReader(stream=None)

    self.factory.clientReady(self)

def query(self, msg_type, query, *parameters):
    if parameters and len(parameters) > 8:
        raise QWriterException('Too many parameters.')

    if not parameters or len(parameters) == 0:
        self.transport.write(self._writer.write(query, msg_type))
    else:
        self.transport.write(self._writer.write([query] + list(parameters), msg_type))

class IPCClientFactory(ClientFactory):

    protocol = IPCProtocol

    def __init__(self, username, password, connect_success_callback, connect_fail_callback, data_callback):
        self.username = username
        self.password = password
        self.client = None

        # register callbacks
        self.connect_success_callback = connect_success_callback
        self.connect_fail_callback = connect_fail_callback
        self.data_callback = data_callback
        self.error_callback = error_callback

    def clientConnectionLost(self, connector, reason):
        print('Lost connection. Reason: %s' % reason)
        # connector.connect()

```

```
def clientConnectionFailed(self, connector, reason):
    if self.connect_fail_callback:
        self.connect_fail_callback(self, reason)

def clientReady(self, client):
    self.client = client
    if self.connect_success_callback:
        self.connect_success_callback(self)

def onMessage(self, message):
    if self.data_callback:
        self.data_callback(self, message)

def onError(self, error):
    if self.error_callback:
        self.error_callback(self, error)

def query(self, msg_type, query, *parameters):
    if self.client:
        self.client.query(msg_type, query, *parameters)

def onConnectSuccess(source):
    print('Connected, protocol version: %s' % source.client.protocol_version)
    source.query(MessageType.SYNC, '.z.ts:{(handle)(`timestamp$100?10000000000000000000000000000000')}')
    source.query(MessageType.SYNC, '.u.sub:{[t;s] handle:: neg .z.w}')
    source.query(MessageType.ASYNC, '.u.sub', 'trade', '')

def onConnectFail(source, reason):
    print('Connection refused: %s' % reason)

def onMessage(source, message):
    print('Received: %s %s' % (message.type, message.data))

def onError(source, error):
    print('Error: %s' % error)

if __name__ == '__main__':
    factory = IPCCClientFactory('user', 'pwd', onConnectSuccess, onConnectFail, onMessage, onError)
    reactor.connectTCP('localhost', 5000, factory)
    reactor.run()
```

## Subscribing to tick service

This example depicts how to subscribe to standard kdb+ tickerplant service:

```
import numpy
import threading
import sys

from qpython import qconnection
```

```

from qpython.qtype import QException
from qpython.qconnection import MessageType
from qpython.qcollection import QTable

class ListenerThread(threading.Thread):

    def __init__(self, q):
        super(ListenerThread, self).__init__()
        self.q = q
        self._stopper = threading.Event()

    def stopit(self):
        self._stopper.set()

    def stopped(self):
        return self._stopper.is_set()

    def run(self):
        while not self.stopped():
            print('.')
            try:
                message = self.q.receive(data_only = False, raw = False) # retrieve entire message

                if message.type != MessageType.ASYNC:
                    print('Unexpected message, expected message of type: ASYNC')

                print('type: %s, message type: %s, data size: %s, is_compressed: %s' % (type(message),
                                                                                         type(message.type),
                                                                                         len(message.data),
                                                                                         message.is_compressed))

                if isinstance(message.data, list):
                    # unpack upd message
                    if len(message.data) == 3 and message.data[0] == b'upd' and isinstance(message.data[2], str):
                        for row in message.data[2]:
                            print(row)

            except QException as e:
                print(e)

if __name__ == '__main__':
    with qconnection.QConnection(host = 'localhost', port = 17010) as q:
        print(q)
        print('IPC version: %s. Is connected: %s' % (q.protocol_version, q.is_connected()))
        print('Press <ENTER> to close application')

        # subscribe to tick
        response = q.sync('.u.sub', numpy.string_('trade'), numpy.string_(''))
        # get table model
        if isinstance(response[1], QTable):
            print('%s table data model: %s' % (response[0], response[1].dtype))

        t = ListenerThread(q)
        t.start()

        sys.stdin.readline()

        t.stopit()

```

## Data publisher

This example shows how to stream data to the kdb+ process using standard tickerplant API:

```
import datetime
import numpy
import random
import threading
import sys
import time

from qpython import qconnection
from qpython.qcollection import qlist
from qpython.qtype import QException, QTIME_LIST, QSYMBOL_LIST, QFLOAT_LIST


class PublisherThread(threading.Thread):

    def __init__(self, q):
        super(PublisherThread, self).__init__()
        self.q = q
        self._stopper = threading.Event()

    def stop(self):
        self._stopper.set()

    def stopped(self):
        return self._stopper.isSet()

    def run(self):
        while not self.stopped():
            print('.')
            try:
                # publish data to tick
                # function: .u.upd
                # table: ask
                self.q.sync('.u.upd', numpy.string_('ask'), self.get_ask_data())

                time.sleep(1)
            except QException as e:
                print(e)
            except:
                self.stop()

    def get_ask_data(self):
        c = random.randint(1, 10)

        today = numpy.datetime64(datetime.datetime.now().replace(hour=0, minute=0, second=0, microsecond=0))

        time = [numpy.timedelta64((numpy.datetime64(datetime.datetime.now()) - today), 'ms') for x in range(c)]
        instr = ['instr_%d' % random.randint(1, 100) for x in range(c)]
        src = ['qPython' for x in range(c)]
        ask = [random.random() * random.randint(1, 100) for x in range(c)]

        data = [qlist(time, qtype=QTIME_LIST), qlist(instr, qtype=QSYMBOL_LIST), qlist(src, qtype=QSYMBOL_LIST),
                print(data)
                return data
```

```

if __name__ == '__main__':
    with qconnection.QConnection(host='localhost', port=17010) as q:
        print(q)
        print('IPC version: %s. Is connected: %s' % (q.protocol_version, q.is_connected()))
        print('Press <ENTER> to close application')

    t = PublisherThread(q)
    t.start()

    sys.stdin.readline()

    t.stop()
    t.join()

```

## Custom type IPC deserialization

This example shows how to override standard deserialization type mapping with two different `QReader` sub-classes. Please refer to *Custom type mapping* on implementation aspects:

```

import numpy

from qpython import qconnection
from qpython.qreader import QReader
from qpython.qtype import QSYMBOL, QSYMBOL_LIST, Mapper


class StringQReader(QReader):
    # QReader and QWriter use decorators to map data types and corresponding function handlers
    _reader_map = dict.copy(QReader._reader_map)
    parse = Mapper(_reader_map)

    def _read_list(self, qtype):
        if qtype == QSYMBOL_LIST:
            self._buffer.skip()
            length = self._buffer.get_int()
            symbols = self._buffer.get_symbols(length)
            return [s.decode(self._encoding) for s in symbols]
        else:
            return QReader._read_list(self, qtype)

    @parse(QSYMBOL)
    def _read_symbol(self, qtype = QSYMBOL):
        return numpy.string_(self._buffer.get_symbol()).decode(self._encoding)


class ReverseStringQReader(QReader):
    # QReader and QWriter use decorators to map data types and corresponding function handlers
    _reader_map = dict.copy(QReader._reader_map)
    parse = Mapper(_reader_map)

    @parse(QSYMBOL_LIST)
    def _read_symbol_list(self, qtype):
        self._buffer.skip()
        length = self._buffer.get_int()

```

```
    symbols = self._buffer.get_symbols(length)
    return [s.decode(self._encoding)[::-1] for s in symbols]

@parse(QSYMBOL)
def _read_symbol(self, qtype = QSYMBOL):
    return numpy.string_(self._buffer.get_symbol()).decode(self._encoding)[::-1]

if __name__ == '__main__':
    with qconnection.QConnection(host = 'localhost', port = 5000, reader_class = StringQReader) as q:
        symbols = q.sync(`foo`bar`)
        print(symbols, type(symbols), type(symbols[0]))

        symbol = q.sync(`foo`)
        print(symbol, type(symbol))

    with qconnection.QConnection(host = 'localhost', port = 5000, reader_class = ReverseStringQReader):
        symbols = q.sync(`foo`bar`)
        print(symbols, type(symbols), type(symbols[0]))

        symbol = q.sync(`foo`)
        print(symbol, type(symbol))
```

---

## API documentation:

---

## qpython package

### qpython.qconnection module

**exception** `qpython.qconnection.QConnectionException`

Bases: `exceptions.Exception`

Raised when a connection to the q service cannot be established.

**exception** `qpython.qconnection.QAuthenticationException`

Bases: `qpython.qconnection.QConnectionException`

Raised when a connection to the q service is denied.

**class** `qpython.qconnection.MessageType`

Bases: `object`

Enumeration defining IPC protocol message types.

**ASYNC = 0**

**SYNC = 1**

**RESPONSE = 2**

**class** `qpython.qconnection.QConnection(host, port, username=None, password=None, time-out=None, encoding='latin-1', reader_class=None, writer_class=None, **options)`

Bases: `object`

Connector class for interfacing with the q service.

Provides methods for synchronous and asynchronous interaction.

The `QConnection` class provides a context manager API and can be used with a `with` statement:

```
with qconnection.QConnection(host = 'localhost', port = 5000) as q:  
    print(q)  
    print(q('`int$ til x}', 10))
```

#### Parameters

- `host (string)` - q service hostname
- `port (integer)` - q service port

- *username* (*string or None*) - username for q authentication/authorization
- *password* (*string or None*) - password for q authentication/authorization
- *timeout* (*nonnegative float or None*) - set a timeout on blocking socket operations
- *encoding* (*string*) - string encoding for data deserialization
- *reader\_class* (*subclass of QReader*) - data deserializer
- *writer\_class* (*subclass of QWriter*) - data serializer

## Options

- *raw* (*boolean*) - if True returns raw data chunk instead of parsed data, **Default:** False
- *numpy\_temporals* (*boolean*) - if False temporal vectors are backed by raw q representation (*QTemporalList*, *QTemporal*) instances, otherwise are represented as *numpy datetime64/timedelta64* arrays and atoms, **Default:** False
- *single\_char\_strings* (*boolean*) - if True single char Python strings are encoded as q strings instead of chars, **Default:** False

### `protocol_version`

Retrieves established version of the IPC protocol.

**Returns** *integer* – version of the IPC protocol

### `open()`

Initialises connection to q service.

If the connection hasn't been initialised yet, invoking the `open()` creates a new socket and performs a handshake with a q service.

**Raises** *QConnectionException*, *QAuthenticationException*

### `close()`

Closes connection with the q service.

### `is_connected()`

Checks whether connection with a q service has been established.

**Connection is considered inactive when:**

- it has not been initialised,
- it has been closed.

**Returns** *boolean* – True if connection has been established, False otherwise

### `query(msg_type, query, *parameters, **options)`

Performs a query against a q service.

In typical use case, *query* is the name of the function to call and *parameters* are its parameters. When *parameters* list is empty, the query can be an arbitrary q expression (e.g. 0 +/- til 100).

Calls a anonymous function with a single parameter:

```
>>> q.query(qconnection.MessageType.SYNC, '{til x}', 10)
```

Executes a q expression:

```
>>> q.query(qconnection.MessageType.SYNC, 'til 10')
```

## Parameters

- *msg\_type* (one of the constants defined in `MessageType`) - type of the query to be executed
- *query (string)* - query to be executed
- *parameters (list or None)* - parameters for the query

### Options

- *single\_char\_strings (boolean)* - if True single char Python strings are encoded as q strings instead of chars, **Default:** False

**Raises** `QConnectionException`, `QWriterException`

## `sync (query, *parameters, **options)`

Performs a synchronous query against a q service and returns parsed data.

In typical use case, *query* is the name of the function to call and *parameters* are its parameters. When *parameters* list is empty, the query can be an arbitrary q expression (e.g. 0 +/ til 100).

Executes a q expression:

```
>>> print(q.sync('til 10'))
[0 1 2 3 4 5 6 7 8 9]
```

Executes an anonymous q function with a single parameter:

```
>>> print(q.sync('{til x}', 10))
[0 1 2 3 4 5 6 7 8 9]
```

Executes an anonymous q function with two parameters:

```
>>> print(q.sync('{y + til x}', 10, 1))
[ 1  2  3  4  5  6  7  8  9 10]
```

```
>>> print(q.sync('{y + til x}', *[10, 1]))
[ 1  2  3  4  5  6  7  8  9 10]
```

The `sync()` is called from the overloaded `__call__()` function. This allows `QConnection` instance to be called as a function:

```
>>> print(q('{y + til x}', 10, 1))
[ 1  2  3  4  5  6  7  8  9 10]
```

### Parameters

- *query (string)* - query to be executed
- *parameters (list or None)* - parameters for the query

### Options

- *raw (boolean)* - if True returns raw data chunk instead of parsed data, **Default:** False
- *numpy\_temporals (boolean)* - if False temporal vectors are backed by raw q representation (`QTemporalList`, `QTemporal`) instances, otherwise are represented as `numpy datetime64/timedelta64` arrays and atoms, **Default:** False
- *single\_char\_strings (boolean)* - if True single char Python strings are encoded as q strings instead of chars, **Default:** False

**Returns** query result parsed to Python data structures

**Raises** `QConnectionException`, `QWriterException`, `QReaderException`

### `async (query, *parameters, **options)`

Performs an asynchronous query and returns **without** retrieving of the response.

In typical use case, *query* is the name of the function to call and *parameters* are its parameters. When *parameters* list is empty, the query can be an arbitrary q expression (e.g. 0 +/ til 100).

Calls a anonymous function with a single parameter:

```
>>> q.async('{til x}', 10)
```

Executes a q expression:

```
>>> q.async('til 10')
```

#### Parameters

- *query (string)* - query to be executed
- *parameters (list or None)* - parameters for the query

#### Options

- *single\_char\_strings (boolean)* - if True single char Python strings are encoded as q strings instead of chars, **Default:** False

**Raises** *QConnectionException, QWriterException*

### `receive (data_only=True, **options)`

Reads and (optionally) parses the response from a q service.

Retrieves query result along with meta-information:

```
>>> q.query(qconnection.MessageType.SYNC, '{x}', 10)
>>> print(q.receive(data_only = False, raw = False))
QMessage: message type: 2, data size: 13, is_compressed: False, data: 10
```

Retrieves parsed query result:

```
>>> q.query(qconnection.MessageType.SYNC, '{x}', 10)
>>> print(q.receive(data_only = True, raw = False))
10
```

Retrieves not-parsed (raw) query result:

```
>>> from binascii import hexlify
>>> q.query(qconnection.MessageType.SYNC, '{x}', 10)
>>> print(hexlify(q.receive(data_only = True, raw = True)))
fa0a000000
```

#### Parameters

- *data\_only (boolean)* - if True returns only data part of the message, otherwise returns data and message meta-information encapsulated in *QMessage* instance

#### Options

- *raw (boolean)* - if True returns raw data chunk instead of parsed data, **Default:** False
- *numpy\_temporals (boolean)* - if False temporal vectors are backed by raw q representation (*QTemporalList*, *QTemporal*) instances, otherwise are represented as *numpy datetime64/timedelta64* arrays and atoms, **Default:** False

**Returns** depending on parameter flags: *QMessage* instance, parsed message, raw data

**Raises** `QReaderException`

## qpython.qcollection module

```
class qpython.qcollection.QList(spec=None, side_effect=None, return_value=sentinel.DEFAULT,
                                wraps=None, name=None, spec_set=None, parent=None,
                                _spec_state=None, _new_name=' ', _new_parent=None,
                                **kwargs)
```

Bases: Mock

An array object represents a q vector.

```
class qpython.qcollection.QTemporalList(spec=None, side_effect=None, return_value=sentinel.DEFAULT,
                                         wraps=None, name=None, spec_set=None, parent=None,
                                         _spec_state=None, _new_name=' ',
                                         _new_parent=None, **kwargs)
```

Bases: `qpython.qcollection.QList`

An array object represents a q vector of datetime objects.

**raw**(*idx*)

Gets the raw representation of the datetime object at the specified index.

```
>>> t = qlist(numpy.array([366, 121, qnull(QDATE)]), qtype=QDATE_LIST)
>>> print(t[0])
2001-01-01 [metadata(qtype=-14)]
>>> print(t.raw(0))
366
```

### Parameters

- *idx (integer)* - array index of the datetime object to be retrieved

**Returns** raw representation of the datetime object

`qpython.qcollection.get_list_qtype(array)`

Finds out a corresponding qtype for a specified `QList/numpy.ndarray` instance.

### Parameters

- *array (QList or numpy.ndarray)* - array to be checked

**Returns** *integer* - qtype matching the specified array object

`qpython.qcollection.qlist(array, adjust_dtype=True, **meta)`

Converts an input array to q vector and enriches object instance with meta data.

Returns a `QList` instance for non-datetime vectors. For datetime vectors `QTemporalList` is returned instead.

If parameter `adjust_dtype` is `True` and q type retrieved via `get_list_qtype()` doesn't match one provided as a `qtype` parameter guessed q type, underlying `numpy.array` is converted to correct data type.

`qPython` internally represents (0x01;0x02;0xff) q list as: <class '`qpython.qcollection.QList`'> `dtype: int8 qtype: -4: [ 1 2 -1]`. This object can be created by calling the `qlist()` with following arguments:

- *byte numpy.array*:

```
>>> v = qlist(numpy.array([0x01, 0x02, 0xff], dtype=numpy.byte))
>>> print('%s dtype: %s qtype: %d: %s' % (type(v), v.dtype, v.meta.qtype, v))
<class 'qpython.qcollection.QList'> dtype: int8 qtype: -4: [ 1  2 -1]
```

- *int32 numpy.array* with explicit conversion to *QBYTE\_LIST*:

```
>>> v = qlist(numpy.array([1, 2, -1]), qtype = QBYTE_LIST)
>>> print('%s dtype: %s qtype: %d: %s' % (type(v), v.dtype, v.meta.qtype, v))
<class 'qpython.qcollection.QList'> dtype: int8 qtype: -4: [ 1  2 -1]
```

- plain Python *integer* list with explicit conversion to *QBYTE\_LIST*:

```
>>> v = qlist([1, 2, -1], qtype = QBYTE_LIST)
>>> print('%s dtype: %s qtype: %d: %s' % (type(v), v.dtype, v.meta.qtype, v))
<class 'qpython.qcollection.QList'> dtype: int8 qtype: -4: [ 1  2 -1]
```

- *numpy datetime64* array with implicit conversion to *QDATE\_LIST*:

```
>>> v = qlist(numpy.array([numpy.datetime64('2001-01-01'), numpy.datetime64('2000-05-01'),
>>> print('%s dtype: %s qtype: %d: %s' % (type(v), v.dtype, v.meta.qtype, v))
<class 'qpython.qcollection.QList'> dtype: datetime64[D] qtype: -14: ['2001-01-01' '2000-05-
```

- *numpy datetime64* array with explicit conversion to *QDATE\_LIST*:

```
>>> v = qlist(numpy.array([numpy.datetime64('2001-01-01'), numpy.datetime64('2000-05-01'),
>>> print('%s dtype: %s qtype: %d: %s' % (type(v), v.dtype, v.meta.qtype, v))
<class 'qpython.qcollection.QList'> dtype: datetime64[D] qtype: -14: ['2001-01-01' '2000-05-
```

## Parameters

- *array (tuple, list, numpy.array)* - input array to be converted
- *adjust\_dtype (boolean)* - determine whether data type of vector should be adjusted if it doesn't match default representation. **Default:** True

---

**Note:** *numpy datetime64* and *timedelta64* arrays are not converted to raw temporal vectors if *adjust\_dtype* is True

---

## Kwargs

- *qtype (integer or None)* - qtype indicator

**Returns** *QList* or *QTemporalList* - array representation of the list

**Raises** *ValueError*

**class** `qpython.qcollection.QDictionary (keys, values)`  
Bases: `object`

Represents a q dictionary.

Dictionary examples:

```
>>> # q: 1 2!`abc`cdefgh
>>> print(QDictionary(qlist(numpy.array([1, 2], dtype=numpy.int64), qtype=QLONG_LIST),
...                      qlist(numpy.array(['abc', 'cdefgh']), qtype = QSYMBOL_LIST)))
[1 2]!['abc' 'cdefgh']
```

```
>>> # q: (1;2h;3.234;"4") !(`one;2 3;"456";(7;8 9))
>>> print(QDictionary([numpy.int64(1), numpy.int16(2), numpy.float64(3.234), '4'],
...                      [numpy.string_('one'), qlist(numpy.array([2, 3]), qtype=QLONG_LIST), '456',
[1, 2, 3.234, '4']!['one', QList([2, 3], dtype=int64), '456', [7, QList([8, 9], dtype=int64)]])]
```

### Parameters

- *keys* (*QList*, *tuple* or *list*) - dictionary keys
- *values* (*QList*, *QTable*, *tuple* or *list*) - dictionary values

#### `items()`

Return a copy of the dictionary's list of (key, value) pairs.

#### `iteritems()`

Return an iterator over the dictionary's (key, value) pairs.

#### `iterkeys()`

Return an iterator over the dictionary's keys.

#### `itervalues()`

Return an iterator over the dictionary's values.

### `qpython.qcollection.QTable(columns, data, **meta)`

Creates a QTable out of given column names and data, and initialises the meta data.

QTable is represented internally by `numpy.core.records.recarray`. Data for each column is converted to *QList* via `qlist()` function. If qtype indicator is defined for a column, this information is used for explicit array conversion.

Table examples:

```
>>> # q: flip `name`iq!(`Dent`Beeblebrox`Prefect;98 42 126)
>>> t = qtable(qlist(numpy.array(['name', 'iq']), qtype = QSYMBOL_LIST),
...              [qlist(numpy.array(['Dent', 'Beeblebrox', 'Prefect'])),
...               qlist(numpy.array([98, 42, 126], dtype=numpy.int64))])
>>> print('%s dtype: %s meta: %s: %s' % (type(t), t.dtype, t.meta, t))
<class 'qpython.qcollection.QTable'> dtype: [('name', 'S10'), ('iq', '<i8')] meta: metadata(iq=-
```

```
>>> # q: flip `name`iq!(`Dent`Beeblebrox`Prefect;98 42 126)
>>> t = qtable(qlist(numpy.array(['name', 'iq']), qtype = QSYMBOL_LIST),
...              [qlist(['Dent', 'Beeblebrox', 'Prefect'], qtype = QSYMBOL_LIST),
...               qlist([98, 42, 126], qtype = QLONG_LIST)])
>>> print('%s dtype: %s meta: %s: %s' % (type(t), t.dtype, t.meta, t))
<class 'qpython.qcollection.QTable'> dtype: [('name', 'S10'), ('iq', '<i8')] meta: metadata(iq=-
```

```
>>> # q: flip `name`iq!(`Dent`Beeblebrox`Prefect;98 42 126)
>>> t = qtable(['name', 'iq'],
...             [['Dent', 'Beeblebrox', 'Prefect'],
...              [98, 42, 126]],
...             name = QSYMBOL, iq = QLONG)
>>> print('%s dtype: %s meta: %s: %s' % (type(t), t.dtype, t.meta, t))
<class 'qpython.qcollection.QTable'> dtype: [('name', 'S10'), ('iq', '<i8')] meta: metadata(iq=-
```

```
>>> # q: flip `name`iq`fullname!(`Dent`Beeblebrox`Prefect;98 42 126;("Arthur Dent"; "Zaphod Beeb
>>> t = qtable(('name', 'iq', 'fullname'),
...              [qlist(numpy.array(['Dent', 'Beeblebrox', 'Prefect']), qtype = QSYMBOL_LIST),
...               qlist(numpy.array([98, 42, 126]), qtype = QLONG_LIST),
...               qlist(numpy.array(["Arthur Dent", "Zaphod Beeblebrox", "Ford Prefect"])), qtype =
<class 'qpython.qcollection.QTable'> dtype: [('name', 'S10'), ('iq', '<i8'), ('fullname', 'O')])
```

**Parameters**

- *columns* (list of strings) - table column names
- *data* (list of lists) - list of columns containing table data

**Kwargs**

- *meta* (integer) - qtype for particular column

**Returns** *QTable* - representation of q table

**Raises** *ValueError*

```
class qpython.qcollection.QKeyedTable(keys, values)
```

Bases: object

Represents a q keyed table.

*QKeyedTable* is built with two *QTables*, one representing keys and the other values.

Keyed tables example:

```
>>> # q: ([eid:1001 1002 1003] pos:`d1`d2`d3;dates:(2001.01.01;2000.05.01;0nd))
>>> t = QKeyedTable(qtable(['eid'],
...                         [qlist(numpy.array([1001, 1002, 1003])), qtype = QLONG_LIST]),
...                     qtable(['pos', 'dates'],
...                            [qlist(numpy.array(['d1', 'd2', 'd3']), qtype = QSYMBOL_LIST),
...                             qlist(numpy.array([366, 121, qnull(QDATE)]), qtype = QDATE_LIST)])
... )
>>> print('%.s: %.s' % (type(t), t))
>>> print('%.s dtype: %.s meta: %.s' % (type(t.keys), t.keys.dtype, t.keys.meta))
>>> print('%.s dtype: %.s meta: %.s' % (type(t.values), t.values.dtype, t.values.meta))
<class 'qpython.qcollection.QKeyedTable'>: [(1001L,) (1002L,) (1003L,)![(d1', 366) ('d2', 121)
<class 'qpython.qcollection.QTable'> dtype: [('eid', '<i8')]] meta: metadata(qtype=98, eid=-7)
<class 'qpython.qcollection.QTable'> dtype: [('pos', 'S2'), ('dates', '<i4')] meta: metadata(dat
```

**Parameters**

- *keys* (*QTable*) - table keys
- *values* (*QTable*) - table values

**Raises** *ValueError*

**items()**

Return a copy of the keyed table's list of (key, value) pairs.

**iteritems()**

Return an iterator over the keyed table's (key, value) pairs.

**iterkeys()**

Return an iterator over the keyed table's keys.

**itervalues()**

Return an iterator over the keyed table's values.

## qpython.qtemporal module

```
class qpython.qtemporal.QTemporal(dt)
```

Bases: object

Represents a q temporal value.

The `QTemporal` wraps `numpy.datetime64` or `numpy.timedelta64` along with meta-information like qtype indicator.

### Parameters

- `dt (numpy.datetime64 or numpy.timedelta64)` - datetime to be wrapped

#### `raw`

Return wrapped datetime object.

**Returns** `numpy.datetime64` or `numpy.timedelta64` - wrapped datetime

```
qpython.qtemporal.qtemporal(dt, **meta)
```

Converts a `numpy.datetime64` or `numpy.timedelta64` to `QTemporal` and enriches object instance with given meta data.

Examples:

```
>>> qtemporal(numpy.datetime64('2001-01-01', 'D'), qtype=QDATE)
2001-01-01 [metadata(qtype=-14)]
>>> qtemporal(numpy.timedelta64(43499123, 'ms'), qtype=QTIME)
43499123 milliseconds [metadata(qtype=-19)]
>>> qtemporal(qnull(QDATETIME), qtype=QDATETIME)
nan [metadata(qtype=-15)]
```

### Parameters

- `dt (numpy.datetime64 or numpy.timedelta64)` - datetime to be wrapped

#### Kwargs

- `qtype (integer)` - qtype indicator

**Returns** `QTemporal` - wrapped datetime

```
qpython.qtemporal.from_raw_qtemporal(raw, qtype)
```

Converts raw numeric value to `numpy.datetime64` or `numpy.timedelta64` instance.

Actual conversion applied to raw numeric value depends on `qtype` parameter.

### Parameters

- `raw (integer, float)` - raw representation to be converted
- `qtype (integer)` - qtype indicator

**Returns** `numpy.datetime64` or `numpy.timedelta64` - converted datetime

```
qpython.qtemporal.to_raw_qtemporal(dt, qtype)
```

Converts datetime/timedelta instance to raw numeric value.

Actual conversion applied to datetime/timedelta instance depends on `qtype` parameter.

### Parameters

- `dt (numpy.datetime64 or numpy.timedelta64)` - datetime/timedelta object to be converted
- `qtype (integer)` - qtype indicator

**Returns** `integer, float` - raw numeric value

```
qpython.qtemporal.array_from_raw_qtemporal(raw, qtype)
```

Converts `numpy.array` containing raw q representation to `datetime64/timedelta64` array.

Examples:

```
>>> raw = numpy.array([366, 121, qnull(QDATE)])
>>> print(array_from_raw_qtemporal(raw, qtype = QDATE))
['2001-01-01' '2000-05-01' 'NaT']
```

### Parameters

- *raw* (`numpy.array`) - numpy raw array to be converted
- *qtype* (`integer`) - qtype indicator

**Returns** `numpy.array` - numpy array with `datetime64/timedelta64`

**Raises** `ValueError`

`qpython.qtemporal.array_to_raw_qtemporal(array, qtype)`

Converts `numpy.array` containing `datetime64/timedelta64` to raw q representation.

Examples:

```
>>> na_dt = numpy.arange('1999-01-01', '2005-12-31', dtype='datetime64[D]')
>>> print(array_to_raw_qtemporal(na_dt, qtype = QDATE_LIST))
[-365 -364 -363 ... 2188 2189 2190]
>>> array_to_raw_qtemporal(numpy.arange(-20, 30, dtype='int32'), qtype = QDATE_LIST)
Traceback (most recent call last):
...
ValueError: array.dtype is expected to be of type: datetime64 or timedelta64. Was: int32
```

### Parameters

- *array* (`numpy.array`) - numpy datetime/timedelta array to be converted
- *qtype* (`integer`) - qtype indicator

**Returns** `numpy.array` - numpy array with raw values

**Raises** `ValueError`

## qpython.qtype module

The `qpython.qtype` module defines number of utility function which help to work with types mapping between q and Python.

This module declares supported q types as constants, which can be used along with conversion functions e.g.: `qcollection.plist()` or `qtemporal.qtemporal()`.

List of q type codes:

q type name	q type code
QNULL	0x65
QGENERAL_LIST	0x00
QBOOL	-0x01
QBOOL_LIST	0x01
QGUID	-0x02
QGUID_LIST	0x02
QBYTE	-0x04
QBYTE_LIST	0x04
QSHORT	-0x05

Continued on next page

Table 6.1 – continued from previous page

q type name	q type code
QSHORT_LIST	0x05
QINT	-0x06
QINT_LIST	0x06
QLONG	-0x07
QLONG_LIST	0x07
QFLOAT	-0x08
QFLOAT_LIST	0x08
QDOUBLE	-0x09
QDOUBLE_LIST	0x09
QCHAR	-0x0a
QSTRING	0x0a
QSTRING_LIST	0x00
QSYMBOL	-0x0b
QSYMBOL_LIST	0x0b
QTIMESTAMP	-0x0c
QTIMESTAMP_LIST	0x0c
QMONTH	-0x0d
QMONTH_LIST	0x0d
QDATE	-0x0e
QDATE_LIST	0x0e
QDATETIME	-0x0f
QDATETIME_LIST	0x0f
QTIMESPAN	-0x10
QTIMESPAN_LIST	0x10
QMINUTE	-0x11
QMINUTE_LIST	0x11
QSECOND	-0x12
QSECOND_LIST	0x12
QTIME	-0x13
QTIME_LIST	0x13
QDICTIONARY	0x63
QKEYED_TABLE	0x63
QTABLE	0x62
QLAMBDA	0x64
QUNARY_FUNC	0x65
QBINARY_FUNC	0x66
QTERNARY_FUNC	0x67
QCOMPOSITION_FUNC	0x69
QADVERB_FUNC_106	0x6a
QADVERB_FUNC_107	0x6b
QADVERB_FUNC_108	0x6c
QADVERB_FUNC_109	0x6d
QADVERB_FUNC_110	0x6e
QADVERB_FUNC_111	0x6f
QPROJECTION	0x68
QERROR	-0x80

`qpython.qtype.qnull(qtype)`  
 Retrieve null value for requested q type.

### Parameters

- *qtype (integer)* - qtype indicator

**Returns** null value for specified q type

`qpython.qtype.is_null(value, qtype)`

Checks whether given value matches null value for a particular q type.

### Parameters

- *qtype (integer)* - qtype indicator

**Returns** boolean - True if value is considered null for given type False otherwise

**exception** `qpython.qtype.QException`

Bases: exceptions.Exception

Represents a q error.

**class** `qpython.qtype.QFunction(qtype)`

Bases: object

Represents a q function.

**class** `qpython.qtype.QLambda(expression)`

Bases: `qpython.qtype.QFunction`

Represents a q lambda expression.

---

**Note:** *expression* is trimmed and required to be valid q function ({ . . }) or k function (k) { . . }).

---

### Parameters

- *expression (string)* - lambda expression

**Raises** ValueError

**class** `qpython.qtype.QProjection(parameters)`

Bases: `qpython.qtype.QFunction`

Represents a q projection.

### Parameters

- *parameters (list)* - list of parameters for lambda expression

**class** `qpython.qtype.Mapper(call_map)`

Bases: object

Utility class for creating function execution map via decorators.

### Parameters

- *call\_map (dictionary)* - target execution map

## qpython.qreader module

**exception** `qpython.qreader.QReaderException`

Bases: exceptions.Exception

Indicates an error raised during data deserialization.

---

**class** qpython.qreader.QMessage (*data, message\_type, message\_size, is\_compressed*)  
Bases: object

Represents a single message parsed from q protocol. Encapsulates data, message size, type, compression flag.

#### Parameters

- *data* - data payload
- *message\_type* (one of the constants defined in *MessageType*) - type of the message
- *message\_size* (integer) - size of the message
- *is\_compressed* (boolean) - indicates whether message is compressed

#### data

Parsed data.

#### type

Type of the message.

#### is\_compressed

Indicates whether source message was compressed.

#### size

Size of the source message.

**class** qpython.qreader.QReader (*stream, encoding='latin-1'*)  
Bases: object

Provides deserialization from q IPC protocol.

#### Parameters

- *stream* (file object or None) - data input stream
- *encoding* (string) - encoding for characters parsing

#### Attributes

- *\_reader\_map* - stores mapping between q types and functions responsible for parsing into Python objects

#### read (*source=None, \*\*options*)

Reads and optionally parses a single message.

#### Parameters

- *source* - optional data buffer to be read, if not specified data is read from the wrapped stream

#### Options

- *raw* (boolean) - indicates whether read data should be parsed or returned in raw byte form
- *numpy\_temporals* (boolean) - if False temporal vectors are backed by raw q representation (*QTemporalList*, *QTemporal*) instances, otherwise are represented as *numpy datetime64/timedelta64* arrays and atoms, **Default:** False

**Returns** *QMessage* - read data (parsed or raw byte form) along with meta information

#### read\_header (*source=None*)

Reads and parses message header.

---

**Note:** `read_header()` wraps data for further reading in internal buffer

**Parameters**

- *source* - optional data buffer to be read, if not specified data is read from the wrapped stream

**Returns** *QMessage* - read meta information**read\_data** (*message\_size*, *is\_compressed=False*, *\*\*options*)

Reads and optionally parses data part of a message.

---

**Note:** `read_header()` is required to be called before executing the `read_data()`**Parameters**

- *message\_size (integer)* - size of the message to be read
- *is\_compressed (boolean)* - indicates whether data is compressed

**Options**

- *raw (boolean)* - indicates whether read data should parsed or returned in raw byte form
- *numpy\_temporals (boolean)* - if `False` temporal vectors are backed by raw q representation (*QTemporalList*, *QTemporal*) instances, otherwise are represented as *numpy datetime64/timedelta64* arrays and atoms, **Default: False**

**Returns** read data (parsed or raw byte form)**class BytesBuffer**Bases: *object*

Utility class for reading bytes from wrapped buffer.

**endianness**

Gets the endianness.

**wrap** (*data*)

Wraps the data in the buffer.

**Parameters**

- *data* - data to be wrapped

**skip** (*offset=1*)Skips reading of *offset* bytes.**Parameters**

- *offset (integer)* - number of bytes to be skipped

**raw** (*offset*)Gets *offset* number of raw bytes.**Parameters**

- *offset (integer)* - number of bytes to be retrieved

**Returns** raw bytes**get** (*fmt, offset=None*)Gets bytes from the buffer according to specified format or *offset*.**Parameters**

- *fmt* (struct format) - conversion to be applied for reading
- *offset (integer)* - number of bytes to be retrieved

**Returns** unpacked bytes

```
get_byte()
    Gets a single byte from the buffer.
    Returns single byte

get_int()
    Gets a single 32-bit integer from the buffer.
    Returns single integer

get_symbol()
    Gets a single, \x00 terminated string from the buffer.
    Returns \x00 terminated string

get_symbols(count)
    Gets count \x00 terminated strings from the buffer.
    Parameters
        • count (integer) - number of strings to be read
    Returns list of \x00 terminated string read from the buffer
```

## qpython.qwriter module

```
exception qpython.qwriter.QWriterException
```

Bases: exceptions.Exception

Indicates an error raised during data serialization.

```
class qpython.qwriter.QWriter(stream, protocol_version, encoding='latin-1')
```

Bases: object

Provides serialization to q IPC protocol.

### Parameters

- *stream* (socket or None) - stream for data serialization
- *protocol\_version* (integer) - version IPC protocol
- *encoding* (string) - encoding for characters serialization

### Attributes

- *\_writer\_map* - stores mapping between Python types and functions responsible for serializing into IPC representation

```
write(data, msg_type, **options)
```

Serializes and pushes single data object to a wrapped stream.

### Parameters

- *data* - data to be serialized
- *msg\_type* (one of the constants defined in [MessageType](#)) - type of the message

### Options

- *single\_char\_strings* (boolean) - if True single char Python strings are encoded as q strings instead of chars, **Default:** False

**Returns** if wrapped stream is None serialized data, otherwise None



## **Indices and tables**

---

- genindex
- search



**q**

`qpython.qcollection`, 33  
`qpython.qconnection`, 29  
`qpython.qreader`, 40  
`qpython.qtemporal`, 36  
`qpython.qtype`, 38  
`qpython.qwriter`, 43



**A**

array\_from\_raw\_qtemporal() (in module qpython.qtemporal), 37

array\_to\_raw\_qtemporal() (in module qpython.qtemporal), 38

ASYNC (qpython.qconnection.MessageType attribute), 29

async() (qpython.qconnection.QConnection method), 32

**C**

close() (qpython.qconnection.QConnection method), 30

**D**

data (qpython.qreader.QMessage attribute), 41

**E**

endianness (qpython.qreader.QReader.BytesBuffer attribute), 42

**F**

from\_raw\_qtemporal() (in module qpython.qtemporal), 37

**G**

get() (qpython.qreader.QReader.BytesBuffer method), 42

get\_byte() (qpython.qreader.QReader.BytesBuffer method), 42

get\_int() (qpython.qreader.QReader.BytesBuffer method), 43

get\_list\_qtype() (in module qpython.qcollection), 33

get\_symbol() (qpython.qreader.QReader.BytesBuffer method), 43

get\_symbols() (qpython.qreader.QReader.BytesBuffer method), 43

**I**

is\_compressed (qpython.qreader.QMessage attribute), 41

is\_connected() (qpython.qconnection.QConnection method), 30

is\_null() (in module qpython.qtype), 40

**M**

items() (qpython.qcollection.QDictionary method), 35

items() (qpython.qcollection.QKeyedTable method), 36

iteritems() (qpython.qcollection.QDictionary method), 35

iteritems() (qpython.qcollection.QKeyedTable method), 36

iterkeys() (qpython.qcollection.QDictionary method), 35

iterkeys() (qpython.qcollection.QKeyedTable method), 36

itervalues() (qpython.qcollection.QDictionary method), 35

itervalues() (qpython.qcollection.QKeyedTable method), 36

**O**

open() (qpython.qconnection.QConnection method), 30

**P**

protocol\_version (qpython.qconnection.QConnection attribute), 30

**Q**

QAuthenticationException, 29

QConnection (class in qpython.qconnection), 29

QConnectionException, 29

QDictionary (class in qpython.qcollection), 34

QException, 40

QFunction (class in qpython.qtype), 40

QKeyedTable (class in qpython.qcollection), 36

QLambda (class in qpython.qtype), 40

QList (class in qpython.qcollection), 33

qlist() (in module qpython.qcollection), 33

QMessage (class in qpython.qreader), 40

qnull() (in module qpython.qtype), 39

QProjection (class in qpython.qtype), 40

qpython.qcollection (module), 33

qpython.qconnection (module), 29

qpython.qreader (module), 40  
qpython.qtemporal (module), 36  
qpython.qtype (module), 38  
qpython.qwriter (module), 43  
QReader (class in qpython.qreader), 41  
QReader.BytesBuffer (class in qpython.qreader), 42  
QReaderException, 40  
qtable() (in module qpython.qcollection), 35  
QTemporal (class in qpython.qtemporal), 36  
qtemporal() (in module qpython.qtemporal), 37  
QTemporalList (class in qpython.qcollection), 33  
query() (qpython.qconnection.QConnection method), 30  
QWriter (class in qpython.qwriter), 43  
QWriterException, 43

## R

raw (qpython.qtemporal.QTemporal attribute), 37  
raw() (qpython.qcollection.QTemporalList method), 33  
raw() (qpython.qreader.QReader.BytesBuffer method), 42  
read() (qpython.qreader.QReader method), 41  
read\_data() (qpython.qreader.QReader method), 42  
read\_header() (qpython.qreader.QReader method), 41  
receive() (qpython.qconnection.QConnection method),  
    32  
RESPONSE (qpython.qconnection.MessageType attribute), 29

## S

size (qpython.qreader.QMessage attribute), 41  
skip() (qpython.qreader.QReader.BytesBuffer method),  
    42  
SYNC (qpython.qconnection.MessageType attribute), 29  
sync() (qpython.qconnection.QConnection method), 31

## T

to\_raw\_qtemporal() (in module qpython.qtemporal), 37  
type (qpython.qreader.QMessage attribute), 41

## W

wrap() (qpython.qreader.QReader.BytesBuffer method),  
    42  
write() (qpython.qwriter.QWriter method), 43